


RÉDUCTIONS mâle-femelle

EXTÉRIEURES EXCENTRÉES

| Réf. | Ø D/d | NF E | Dimensions (mm) | | |
|------|---------|------|-----------------|------|------|
| | | | h | L1 | L2 |
| IH1 | 40/32 | * | 37 | 27 | 23 |
| IJ1 | 50/40 | * | 44 | 32 | 27 |
| IJ2 | 50/32 | * | 52 | 32 | 23 |
| IL1 | 63/50 | * | 53,5 | 38,5 | 32 |
| IL2 | 63/40 | | 63,5 | 38,5 | 27 |
| IL3 | 63/32 | | 71,5 | 38,5 | 23 |
| IP1 | 75/63 | | 59,5 | 44,5 | 38,5 |
| IP2 | 75/50 | * | 72,5 | 44,5 | 32 |
| IP3 | 75/40 | * | 82,5 | 44,5 | 27 |
| IP4 | 75/32 | | 90,5 | 44,5 | 23 |
| IR1 | 80/75 | | 55 | 47 | 44,5 |
| IR2 | 80/63 | | 67 | 47 | 38,5 |
| IR3 | 80/50 | | 80 | 47 | 32 |
| IR4 | 80/40 | | 90 | 47 | 27 |
| IR5 | 80/32 | | 98 | 47 | 23 |
| IS1 | 90/80 | | 65 | 52 | 47 |
| IS2 | 90/75 | | 70 | 52 | 44,5 |
| IS3 | 90/63 | | 82 | 52 | 38,5 |
| IS4 | 90/50 | | 95 | 52 | 32 |
| IS5 | 90/40 | | 105 | 52 | 27 |
| IS6 | 90/32 | | 113 | 52 | 23 |
| IT1 | 100/90 | | 70 | 57 | 52 |
| IT2 | 100/80 | | 80 | 57 | 47 |
| IT3 | 100/75 | * | 85 | 57 | 44,5 |
| IT4 | 100/63 | | 96 | 57 | 38,5 |
| IT5 | 100/50 | | 110 | 57 | 32 |
| IT6 | 100/40 | | 120 | 57 | 27 |
| IT7 | 100/32 | | 128 | 57 | 23 |
| IV1 | 110/100 | | 74 | 61 | 57 |
| IV2 | 110/90 | | 86 | 61 | 52 |
| IV3 | 110/80 | | 94 | 61 | 47 |
| IV4 | 110/75 | * | 99 | 61 | 44,5 |
| IV5 | 110/63 | | 110 | 61 | 38,5 |
| IV6 | 110/50 | | 123 | 61 | 32 |
| IV7 | 110/40 | | 134 | 61 | 27 |
| IV8 | 110/32 | | 142 | 61 | 23 |




EXTÉRIEURES EXCENTRÉES

| Réf. | Ø D/d | NF E | Dimensions (mm) | | |
|------|---------|------|-----------------|-------|------|
| | | | h | L1 | L2 |
| IX1 | 125/110 | | 79 | 61 | 61 |
| IX2 | 125/100 | | 89 | 61 | 57 |
| IX3 | 125/90 | | 99 | 61 | 52 |
| IX4 | 125/80 | | 109 | 61 | 47 |
| IX5 | 125/75 | | 114 | 61 | 44,5 |
| IX6 | 125/63 | | 126 | 61 | 38,5 |
| IX7 | 125/50 | | 139 | 61 | 32 |
| IX8 | 125/40 | | 149 | 61 | 27 |
| IX9 | 125/32 | | 157 | 61 | 23 |
| IY1 | 140/125 | | 79 | 61 | 61 |
| IY2 | 140/110 | | 94 | 61 | 61 |
| IY3 | 140/100 | | 104 | 61 | 57 |
| IZ1 | 160/140 | | 84 | 61 | 61 |
| IZ2 | 160/125 | | 99 | 61 | 61 |
| IZ3 | 160/110 | | 114 | 61 | 61 |
| IZ4 | 160/100 | | 124 | 61 | 57 |
| IB1 | 200/160 | | 103 | 61 | 61 |
| IB2 | 200/140 | | 124 | 61 | 61 |
| IB3 | 200/125 | | 138 | 61 | 61 |
| IB4 | 200/110 | | 153 | 61 | 61 |
| ID2 | 250/200 | | 162 | 109,5 | 61 |
| ID3 | 250/160 | | 145,5 | 64 | 61 |
| ID5 | 250/125 | | 172 | 64 | 61 |
| ID6 | 250/110 | | 157,5 | 60 | 61 |
| ID7 | 250/100 | | 153,5 | 57 | 57 |
| IE1 | 315/250 | | 204,5 | 124 | 61 |
| IE3 | 315/200 | | 225 | 124 | 61 |
| IE4 | 315/160 | | 255 | 130,5 | 61 |



TAMPONS DE RÉDUCTION mâle-femelle



SIMPLES

| Réf. | Ø D/d | NF E | Dimensions (mm) | | |
|------|---------|------|-----------------|------|------|
| | | | A | L1 | L2 |
| L5 | 63/50 | | 0 | 38,5 | 32 |
| L4 | 63/40 | | 3 | 38,5 | 27 |
| L3 | 63/32 | | 7 | 38,5 | 23 |
| P6 | 75/63 | | 0 | 44,5 | 38,5 |
| P5 | 75/50 | | 4 | 44,5 | 32 |
| P4 | 75/40 | | 9 | 44,5 | 27 |
| P3 | 75/32 | | 13 | 44,5 | 23 |
| R6 | 80/63 | | 0 | 47 | 38,5 |
| R5 | 80/50 | | 6,5 | 47 | 32 |
| R4 | 80/40 | | 11,5 | 47 | 27 |
| R3 | 80/32 | | 15,5 | 47 | 23 |
| S8 | 90/80 | | 0 | 52 | 47 |
| S7 | 90/75 | | 0 | 52 | 44,5 |
| S6 | 90/63 | | 5 | 52 | 38,5 |
| S5 | 90/50 | | 11,5 | 52 | 32 |
| S4 | 90/40 | | 16,5 | 52 | 27 |
| S3 | 90/32 | | 20,5 | 52 | 23 |
| T9 | 100/90 | | 0 | 57 | 52 |
| T8 | 100/80 | | 1,5 | 57 | 47 |
| T7 | 100/75 | | 4 | 57 | 44,5 |
| T6 | 100/63 | | 10 | 57 | 38,5 |
| T5 | 100/50 | | 16,5 | 57 | 32 |
| T4 | 100/40 | | 21,5 | 57 | 27 |
| T3 | 100/32 | | 25,5 | 57 | 23 |
| V10 | 110/100 | | 0 | 61 | 57 |
| V9 | 110/90 | | 1,5 | 61 | 52 |
| V8 | 110/80 | | 6,5 | 61 | 47 |
| V7 | 110/75 | | 9 | 61 | 44,5 |
| V6 | 110/63 | | 15 | 61 | 38,5 |
| V5 | 110/50 | | 21,5 | 61 | 32 |
| V4 | 110/40 | | 26,5 | 61 | 27 |
| V3 | 110/32 | | 30,5 | 61 | 23 |
| X11 | 125/110 | | 0 | 61 | 61 |
| X10 | 125/100 | | 4 | 61 | 57 |
| X9 | 125/90 | | 8 | 61 | 52 |
| X8 | 125/80 | | 14 | 61 | 47 |
| X7 | 125/75 | | 16,5 | 61 | 44,5 |
| X6 | 125/63 | | 22 | 61 | 38,5 |
| X5 | 125/50 | | 29 | 61 | 32 |
| X4 | 125/40 | | 34 | 61 | 27 |
| X3 | 125/32 | | 38 | 61 | 23 |

Tampon de réduction mâle Ø 93 pour adaptation
dans tube DN 100 non prémachonné,
Réf. TT44, TT4 et TT5 : voir page 78