















Model Name:	TP VST59S PB813 B13505			VERSION:	V1.0
DRAWN:	Senjan Yang	DATE:	2013-11-14		
CHK'D:		DATE:	2013-11-14		







A

A

B






B





C

C




D

D





0.1uF-0402-X5R±20%-16V
10uF-0603-X5R±20%-6.3V
NC/10uF-0603-X5R±20%-6.3V
NC/10uF-0603-X5R±20%-6.3V



1	2	3	4																																							
A	<table><tr><td rowspan="2">工程师</td><td>拟制</td><td>陈伟东</td><td rowspan="2">日期</td><td>2013.12.13</td></tr><tr><td>审核</td><td></td><td></td></tr><tr><td rowspan="6">B</td><td>类型描述</td><td colspan="2">原理图封装</td><td>备注</td></tr><tr><td>板卡型号</td><td colspan="2"> TP.VST59S.PB813 PCB_NAME </td><td></td></tr><tr><td>板卡周期号</td><td> B13505 PCB_TIME </td><td>板卡周期号</td><td></td></tr><tr><td>MARK点</td><td colspan="2"> M1 MARK M2 MARK </td><td></td></tr><tr><td>定位孔</td><td colspan="2"> H1 H3 H4 </td><td></td></tr><tr><td>标识电阻</td><td colspan="2"> V59XUSC V59XESC V59XUS V59XES NC/0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W 0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W </td><td></td></tr><tr><td>D</td><td>散热片</td><td colspan="2"> HS1 18.8×3.8×6-本色-THD </td><td></td></tr></table>			工程师	拟制	陈伟东	日期	2013.12.13	审核			B	类型描述	原理图封装		备注	板卡型号	TP.VST59S.PB813 PCB_NAME			板卡周期号	B13505 PCB_TIME	板卡周期号		MARK点	M1 MARK M2 MARK			定位孔	H1 H3 H4			标识电阻	V59XUSC V59XESC V59XUS V59XES NC/0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W 0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W			D	散热片	HS1 18.8×3.8×6-本色-THD			A
工程师	拟制	陈伟东	日期		2013.12.13																																					
	审核																																									
B	类型描述	原理图封装		备注																																						
	板卡型号	TP.VST59S.PB813 PCB_NAME																																								
	板卡周期号	B13505 PCB_TIME	板卡周期号																																							
	MARK点	M1 MARK M2 MARK																																								
	定位孔	H1 H3 H4																																								
	标识电阻	V59XUSC V59XESC V59XUS V59XES NC/0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W 0ohm-0402± 5%-1/16W NC/0ohm-0402± 5%-1/16W																																								
D	散热片	HS1 18.8×3.8×6-本色-THD																																								
				B																																						
				C																																						
				D																																						
1	2	3	4																																							