

OUTSELECTS, OUTSUPPORTS, OUTPERFORMS, OUTLASTS, OUTSERVICES, OUTWARRANTS—ANY OTHER TRIPOD • THERE IS NO SUBSTITUTE

LOISIR WEEKEND 0 TOTAL / SPORT REPORTER STUDEX 00 0 2 3 STANDARD/RAPID TRIPODS WITH SLIDING COLUMN, REVERSIBLE LEG DIAMETER %" **LEG DIAMETER 34" LEG DIAMETER % LEG DIAMETER 1" LEG DIAMETER 11/4"** FOR LIGHTER 35MM FOR LIGHT 35MM, SUPER 8MM FOR 35MM, SUPER 8MM, FOR HEAVY 35MM, SUPER 8MM, FOR HEAVY 21/4" x 21/4", 6 x 7 CM, SUPER 8MM VIDEO VIDEO VIDEO 214" x 214", VIDEO LIGHT 16MM, VIDEO LOISIR COMPACT 06 WEEKEND COMPACT REPORTER MODE 302 MINI STUDEX 106 TOTAL LUXE TABLE AND CHESTPOD w/2 SECTION COLUMN w/2 SECTION COLUMN w/2 SECTION COLUMN SECTIONS w/2 SECTION COLUMN RANGE SECTIONS 6 14"-56 EXTRA SECTIONS SECTIONS SECTIONS FOLDED 16 RANGE 13"-68 SHORT RANGE 12"-56 RANGE 12"-56" RANGE 7"-14" WEIGHT 4 LBS FOLDED 16 EXTRA FOI DED 13" FOLDED 13" FOLDED **EXTRA SHORT** WEIGHT 5 LBS WEIGHT 2 LBS HIGH WEIGHT 21/2 LBS 1/2 LB **EXTRA SHORT** WEIGHT **EXTRA SHORT EXTRA SHORT** 201 REPORTER **EXTRA SHORT** 304 STUDEX COMPACT 01 WEEKEND 101 SPORT SECTIONS 3 0011 LOISIR COMPACT SECTIONS SECTIONS RANGE 17"-59 3 SHORT SECTIONS LUXE FOLDED 20" RANGE 17"-59 RANGE 15"-50 RANGE 17"-58 4 LBS WEIGHT FOLDED 20" w/2 SECTION COLUMN FOLDED FOLDED 17 19 5 LBS WEIGHT 2 LBS SHORT WEIGHT WEIGHT 3 LBS SECTIONS LONG LONG 204 REPORTER RANGE 306 STUDEX COMPACT FOLDED INDUSTRY LUXE 04 WEEKEND LUXE 104 SPORT LUXE WEIGHT 3/4 LB SECTIONS SECTIONS SECTIONS SHORT SECTIONS 4 EXTRA SHORT HIGH RANGE RANGE 18"-74" RANGE 17"-60" RANGE 17"-73" 21"-66 EXTRA FOLDED 20" 001 LOISIR FOLDED 23 HIGH FOLDED 17" FOLDED 19" 41/2 LBS WEIGHT 51/2 LBS WEIGHT WEIGHT 21/4 LBS WEIGHT 31/4 LBS w/2 SECTION COLUMN EXTRA HIGH LONG LONG EXTRA HIGH LONG 301 STUDEX SECTIONS 13"-52" SECTIONS RANGE LONG 3 FOLDED 23"-72 14 RANGE WEIGHT 11/2 LBS FOLDED 25" LONG 6 LBS WEIGHT 009 001 01 106 204 302 PERFORMANCE/RAPID TRIPODS WITH INDIVIDUAL LEG SPREADING 2 SECTION SLIDING COLUMN, FOR EXTRA LOW, EXTRA HIGH, SPECIAL POSITIONS. WEEKEND 026

SAFARI PERFOR-MANCE TRIPODS, DARK GREEN W/REVERSED LEGS 5" SHORT COLUMN SPORT REPORTER STUDEX

COMPACT **PERFORMANCE** SECTIONS

SECTIONS 0"-60 RANGE 14" **FOLDED** 21/4 LBS WEIGHT EXTRA SHORT EXTRA LOW

WEEKEND PERFORMANCE

SECTIONS 3 RANGE 0"-60" FOLDED 18" WEIGHT 21/4 LBS LONG EXTRA LOW-HIGH

024 WEEKEND LUXE **PERFORMANCE**

SECTIONS 0"-70" RANGE FOLDED 18" 21/2 LBS WEIGHT LONG EXTRA LOW-HIGH

126 TOTAL LUXE PERFORMANCE

0"-57 RANGE FOLDED WEIGHT 3 LBS EXTRA SHORT EXTRA LOW

SPORT 120 **PERFORMANCE**

SECTIONS 3 RANGE 0"-71 FOLDED 20" WEIGHT 31/2 LBS LONG EXTRA LOW-HIGH

124 SPORT LUXE **PERFORMANCE**

SECTIONS RANGE 0"-86 FOLDED 20 WEIGHT 4 LBS LONG EXTRA LOW-HIGH 122 SPORT LUXE PERFORMANCE MONO MONO-TRIPODS W/MONOPOD

REPORTER MODE PERFORMANCE

SECTIONS 0"-70" RANGE FOLDED WEIGHT 41/4 LBS EXTRA SHORT EXTRA LOW

220 REPORTER **PERFORMANCE**

SECTIONS 3 RANGE 0"-74 FOLDED WEIGHT 41/2 LBS SHORT EXTRA LOW

224 REPORTER INDUSTRY PERFORMANCE

SECTIONS 3 RANGE 0"-81" FOLDED WEIGHT 5 LBS LONG EXTRA LOW-HIGH **222 REPORTER LUXE** PERFORMANCE-MONO

325 MINI STUDEX **PERFORMANCE**

SECTIONS **EXTRA** RANGE 0"-70" FOLDED 18" EXTRA WEIGHT 51/2 LBS LOW-HIGH

STUDEX COMPACT 323 **PERFORMANCE**

SECTIONS 3 SHORT RANGE 0"-75" **EXTRA** FOLDED 22" LOW WEIGHT 53/4 LBS HIGH

326 STUDEX COMPACT **LUXE PERFORMANCE**

SECTIONS SHORT RANGE 0"-90" **EXTRA** FOLDED 22" LOW 61/2 LBS WEIGHT HIGH

320 STUDEX PERFORMANCE LONG SECTIONS

RANGE 0"-88 **EXTRA FOLDED** 27" LOW WEIGHT 63/4 LBS HIGH

322 STUDEX COMPACT **LUXE PERFORMANCE-MONO**



CREMAILLERE 0

LEG'DIAMETER 34" FOR LIGHT 35MM, SUPER 8MM, VIDEO

010 CREMAILLERE 0

SECTIONS 3 RANGE 16 "-50" FOLDED WEIGHT. 2% LBS. LONG

014 CREMAILLERE LUXE

SECTIONS RANGE 16 "-60 FOLDED 18" WEIGHT 21/2 LBS LONG EXTRA HIGH



CREMAILLERE 1

CREMAILLERE 2

CREMAILLERE 3

STANDARD CREMAILLERE TRIPODS

LEG DIAMETER %"

FOR 35MM, SUPER 8MM, VIDEO

110 CREMAILLERE 1 SECTIONS 18"-56" RANGE FOLDED WEIGHT 314 LBS LONG

114 CREMAILLERE 1 LUXE

SECTIONS RANGE 18"-65 FOLDED 19 WEIGHT 31/2 LBS LONG **EXTRA HIGH**



LEG DIAMETER 1"

FOR HEAVY 35MM, SUPER 8MM, VIDEO 207 CREMAILLERE 2 COMPACT SECTIONS RANGE 14"-56 FOLDED 16 WEIGHT 414 LBS

210 CREMAILLERE 2 SECTIONS 3 RANGE 21"-68 FOLDED WEIGHT 5 LBS

EXTRA SHORT

LONG



WITH GEARLIFT COLUMN

LEG DIAMETER 114" FOR HEAVY 21/4", 6x7CM, LIGHT 16MM, VIDEO

305 CREMAILLERE 3 COMPACT

SECTIONS RANGE 18"-56" FOLDED WEIGHT 5% LBS

307 CREMAILLERE 3 COMPACT-LUXE

SHORT

SECTIONS SHORT RANGE **EXTRA** FOLDED HIGH 6% LBS WEIGHT

310 CREMAILLERE 3 SECTIONS LONG RANGE 23'-72 FOLDED WEIGHT 61/2 LBS.



PERFORMANCE CREMAILLERE TRIPODS:

WITH INDIVIDUAL LEG SPREADING, FOR EXTRA LOW AND SPECIAL POSITIONS

CREMAILLERE 0 012 PERFORMANCE

SECTIONS RANGE 0 "-51 " FOLDED 19" WEIGHT 2% LBS. LONG EXTRA LOW

022 CREMAILLERE 0 LUXE

PERFORMANCE SECTIONS RANGE 0 "-61 FOLDED 19" 3 LBS. WEIGHT LONG EXTRA LOW-HIGH

112 CREMAILLERE 1 **PERFORMANCE**

SECTIONS RANGE 0"-57 FOLDED 20 WEIGHT 31/2 LBS. LONG EXTRA LOW

124 CREMAILLERE 1 LUXE PERFORMANCE

SECTIONS RANGE 0"-66" FOI DED 20" 3¾ LBS WEIGHT LONG EXTRA LOW-HIGH

> 112 TABLE TOP COPY WORK WITH SIDE ARM

227 CREMAILLERE 2 COMPACT PERFORMANCE

SECTIONS RANGE 0"-56 FOLDED 41/2 LBS WEIGHT EXTRA SHORT LOW

212 CREMAILLERE 2 PERFORMANCE

SECTIONS RANGE 0'-70 FOLDED 5% LBS WEIGHT LONG EXTRA LOW

> 212 WIDE BASE

324 CREMAILLERE 3 COMPACT PERFORMANCE

SECTIONS SHORT 0"-58" RANGE **EXTRA LOW** FOLDED 22 WEIGHT 614 LBS

328 CREMAILLERE 3 COMPACT LUXE PERFORMANCE

SECTIONS SHORT 0"-74" RANGE EXTRA FOLDED LOW-HIGH WEIGHT 6% LBS

312 CREMAILLERE 3 **PERFORMANCE**

SECTIONS LONG RANGE 0"-74" EXTRA FOLDED 27 LOW 7 LBS. WEIGHT



SHORT COLUMNS AND PLATFORMS

FOR EXTRA LOW POSITIONS OF PERFORMANCE TRIPODS

035 DIAMETER 34 FOR WEEKEND 135 DIAMETER 1/8

FOR TOTAL SPORT 235 DIAMETER 1" FOR REPORTER **335 DIAMETER 1**1/4

FOR STUDEX 435 DIAMETER 1% FOR PRO TELE STUDEX 035C DIAMETER 3/4

FOR CREMAILLERE O

FOR CREMAILLERE 1

DIAMETER 11/4"

PLATFORM SEE PAGE 4 FOR PRO TELE STUDEX

CLOSE UP ADAPTERS

FOR 546 BISPOT L OR 548 BISPOT E FOLDING ARMS (SPECIFY TRIPOD)

547 CLAMP FOR BISPOT

METAL SPIKES

ON END SECTIONS, INTERCHANGEABLE WITH END SECTIONS WITH RUBBER TIPS (SPECIFY TRIPOD OR MONOPOD)





135C DIAMETER %

235C DIAMETER 1" **FOR CREMAILLERE 2**

FOR CREMAILLERE 3

SUPER STUDEX
4

PRO STUDEX

TELE STUDEX

STANDARD TRIPODS
WITH BUILT-IN LEVEL

PERFORMANCE TRIPODS

WITH INDIVIDUAL LEG SPREADING FOR EXTRA LOW POSITIONS, BUILT-IN LEVEL.

WITH RAPID SLIDING COLUMN, REVERSIBLE (525)

LEG DIAMETER 1%

LEG DIAMETER 1%"

FOR 4 x 5", 5 x 7", 16MM, VIDEO

405R SUPER STUDEX COMPACT/RAPID SECTIONS FYTRA SHORT RANGE 17"-61 FOLDED 7 I RS WEIGHT **400R SUPER STUDEX** GIANT/RAPID SECTIONS LONG RANGE FOLDED 8 LBS WEIGHT **403R SUPER STUDEX** GIANT LUXE/RAPID SECTIONS RANGE 28"-100" FOLDED 30 WEIGHT 10 I BS LONG EXTRA HIGH 405 B

415.R PRO STUDEX COMPACT/ RAPID SECTIONS EXTRA SHORT RANGE 0"-63" **EXTRA LOW** FOI DED 21" WEIGHT 712 LBS 410R **PRO STUDEX** GIANT/RAPID SECTIONS LONG RANGE **EXTRA LOW**

RANGE 0"-80" EX FOLDED 32" WEIGHT 9 LBS 413R PRO STUDEX GIANT LUXE/RAPID

SECTIONS 4
RANGE 0"-102" EXTRA LOW-HIGH
FOLDED 32"
WEIGHT 11 LBS

LEG DIAMETER 11/2"

FOR HEAVY 4x5", 5x7", 8x10", 16MM, VIDEO

505R TELE STUDEX
COMPACT/RAPID
SECTIONS 4 | S

TELE STUDEX

0"-72"

24

SECTIONS 4
RANGE 0"-76" EXTRA LOW
FOLDED 24
WEIGHT 10 LBS
500.R TELE STUDEX
GIANT/RAPID

SECTIONS 3
RANGE 0'-81"
FOLDED 32"
WEIGHT 11 LBS
504R TELE STUDEX
GIANT LUXE/RAPID

SECTIONS 5
RANGE 0"-120"
FOLDED 32"
WEIGHT 13 LBS
LONG, EXTRA
LOW-HIGH

506
EXTREME CLOSE-UPS
435 5" SHORT COLUMN

COMPACT/ CREMAILLERE

WITH CREMAILLERE GEARLIFT COLUMN, PLATFORMS AT BOTH ENDS (526)

417C PRO STUDEX

405C SUPER STUDEX COMPACT/CREMAILLERE SECTIONS **EXTRA SHORT** RANGE 17"-57 FOLDED WEIGHT 400C SUPER STUDEX GIANT/CREMAILLERE SECTIONS LONG RANGE FOI DED WEIGHT 10 LBS 403 SUPER STUDEX GIANT LUXE

CREMAILLERE

30

28"-96"

121 RS

400 B

SECTIONS

RANGE

FOLDED

WEIGHT

LONG EXTRA HIGH

COMPACT/CREMAILLERE SECTIONS **EXTRA SHORT** 0"-59" **EXTRA LOW** FOI DED 91/2 LBS WEIGHT 410C PRO STUDEX GIANT/CREMAILLERE SECTIONS LONG RANGE 0"-76" EXTRA LOW FOLDED 32 WEIGHT 11 LBS 413 **PRO STUDEX** GIANT LUXE/ CREMAILLERE SECTIONS LONG RANGE 0"-98" **EXTRA LOW-HIGH** FOLDED 32 WEIGHT 13 LBS

WEIGHT 12 I RS SHORT **EXTRA LOW** 500C **TELE STUDEX** GIANT/CREMAILLERE SECTIONS RANGE 0"-77 FOLDED 32 WEIGHT 13 LBS **LONG EXTRA LOW 504C TELE STUDEX** GIANT LUXE CREMAILLERE SECTIONS RANGE 0"-116 FOLDED 32 WEIGHT 15 LBS

EXTRA LOW-HIGH

505C

SECTIONS

RANGE

FOLDED

LONG

504C

ACCESSORIES FOR SUPER PRO, TELE-STUDEX, INTERCHANGEABLE WITH CENTER COLUMNS.

435 5" SHORT COLUMN FOR EXTRA LOW POSITIONS OF RAPID TRIPPODS 440 PLATFORM FOR EXTRA LOW POSITIONS

435 435 538 524 RAPID DUAL COLUMN 34"
ADDITIONAL RANGE 16"
529 LONG CREMAILLERE 32"
ADDITIONAL RANGE 14"
DIAM. 11/4"
538 EXTENSION 18"
FOR RAPID OR CREMAILLERE 524

SEE VIDEO FOLDER

410C

9

582 SERVICE TRAY FOR SUPER-, PRO-, TELE-STUDEX, MONO COLUMN DIMENSIONS: 14"× 10"



LADDER PODS

LEG DIAMETER OF RODS 1"

FOR 35MM, SUPER 8MM 21/4 × 21/4", 6×7CM

4×5", 5×7", 8×10" 16MM, VIDEO

598R GITZECHEL/RAPID

WITH RAPID COLUMN SECTIONS

RANGE 35 TO 135"

FOLDED 36" 38 LBS WEIGHT

598C GITZECHEL/CREMAILLERE

WITH CREMAILLERE COLUMN

BANGE 35 TO 131 39 LBS WEIGHT

FOR CAMERAS, PERSONS UP TO 300 LBS

597 TRANSPORT WHEELS



VIDEO TRIPODS

FOR EXTRA HEAVY PHOTO. CINE, VIDEO CAMERAS

LEG DIAMETER 11/2"

500ER TELE-STUDEX GIANT ECO/RAPID

WITH INDIVIDUAL LEG SPREADING FOR EXTRA LOW AND

SPECIAL POSITIONS, PLATFORM WITH LOCKING GRIP, LEVEL,

RINGS FOR DOLLY

SECTIONS

RANGE 0 TO 66 FOLDED 32 10 LBS WEIGHT

FOR CAMERAS UP TO 50 LBS

OPTIONAL:

B21 LEVELLING BALL 526 CREMAILLERE COLUMN

551 5T COUNTERBALANCED, PANORAMIC HEAD (SEE PAGE 7)

492 5" WHEEL DOLLY 517/8 WIRE HOOKS

608 CHAIN BETWEEN LEGS



MONO-COLUMN

DIAMETER OF COLUMN 4"

615 MONO-COLUMN WITH 3 ROLLERS, LOCKING PEDAL CREMAILLERE GEARLIFT COLUMN.

RANGE 37"-68" WEIGHT 46 LBS FOR CAMERAS UP TO 100 LBS



WITH COUNTERBALANCED, PANORAMIC HEAD, GEARLIFT COLUMN, BUILT-IN LEVEL

LEG DIAMETER 11/2"

610 VIDEO 6T

WITH INDIVIDUAL LEG SPREADING, FOR EXTRA LOW AND SPECIAL POSITIONS

WITH RINGS FOR DOLLY, CHAIN

SECTIONS

RANGE 20 - 62

FOLDED 36 LBS WEIGHT

FOR CAMERAS UP TO 100 LBS

OPTIONAL:

593 DOLLY

WITH METAL SHOES, STIRRUPS

WEIGHT **19 LBS**

594 SAME WITH TRAVELLING FIXINGS

590 DOLLY

SAME NOT COLLAPSIBLE WEIGHT **17 LBS**

591 SAME WITH

TRAVELLING FIXINGS

(SEE ALSO PAGE 6)



LEG DIAMETER 11/2" DIAMETER OF COLUMN 4" **810 VIDEO 8T**

WITH COLLAPSIBLE 5" WHEEL DOLLY, TRAVELLING FIXINGS

SECTIONS RANGE 37 -- 62 WEIGHT 75 LBS

FOR CAMERAS UP TO 250 LBS



LEG DIAMETER 34" FOR LIGHT 35MM SUPER 8MM, VIDEO **560 MONO**

WEEKEND

SECTIONS 32 -55 RANGE WEIGHT 1 LB 560H SAME, WITH HANDLE FOR USE AS **WALKING STICK**

(SEE PICTURE)

MONOPODS

LEG DIAMETER %" FOR 35MM, SUPER 8MM,TV

561 MONO SPORT SECTIONS WEIGHT 114 LBS. 561H SAME, WITH HANDLE FOR USE AS WALKING STICK **562 MONO SPORT**

LUXE SECTIONS RANGE 19"-64" WEIGHT 14 LBS 562 H SAME, WITH HANDLE FOR USE AS WALKING STICK



FOR HEAVY 35MM. SUPER 8MM. 21/4. VIDEO

REPORTER SECTIONS RANGE 19"-64 WEIGHT 112 LBS

563 MONO



585 ATTACHMENT 90° side tilt

LEG DIAMETER 11/4

FOR HEAVY 21/4", 6x7CM, SUPER 8MM, LIGHT 16MM, VIDEO

MONO STUDEX WITH GRIP SECTIONS RANGE 19"-64"

WEIGHT

565 MONO STUDEX SUPER WITH SWIVEL HEAD. SHOULDER SUPPORT WEIGHT

1% LBS.

566 MINI MONO STUDEX SECTIONS 6 RANGE 14"-54" WEIGHT 11/2 LBS

567 MINI MONO STUDEX SUPER W/SWIVEL HEAD, SHOULDER SUPPORT
RANGE 16"-56" WEIGHT: 1¾ LBS.

S564 SAFARI MONO STUDEX W/REVERSE LEG FIBERGLASS WASHERS FOR WET CONDITIONS, **OLIVE GREEN**

MULTI POD FOLD AWAY COPY AND CLOSE-UP STAND EG DIAMETER 34 558 GITZOPOD MACRO-STAGE 546 BISPOT L FOR 35MM, 214", 6x7CM FOLDABLE CHEST SHOULDER TRANSPARENT, WITH **FOLDING ARMS** SUPER 8MM, LIGHT 16MM, VIDEO 2 SECTION COLUMN. FOR COPY LIGHTS, TO 500 WATT KNEE TABLE BI MONOPOD 548: BISPOT E 542 REPROGILUX WITH SWIVEL HEAD, **DIMENSIONS 12 × 15** WEIGHT 1% LBS. **FOLDING ARMS WITH SHOES** SHOULDER SUPPORT WITH LEVEL FOR ELECTRONIC FLASH **NECK AND** SECTIONS RANGE CARRYING STRAPS 0'-52 **547: CLAMP** FOLDED FOR BISPOT L OR E WEIGHT 3 LBS FOLDED COPIES TO 20"x24 SECTIONS RANGE 13"-64" WEIGHT 214 LBS

DIAMETER 76" FOR 35MM, SUPER 8MM

530 SIDE ARM SPORT

LENGTH WEIGHT 34 LBS 531 SAME, GEARED

LENGTH 15" 114 LBS WEIGHT

SIDE ARMS WITH CUT-OUTS FOR COUNTERWEIGHT

DIAMETER 1 FOR HEAVY 35MM, SUPER 8MM, 214", VIDEO

532 SIDE ARM REPORTER

LENGTH WEIGHT **11/4 LBS 533 SAME, GEARED**

LENGTH WEIGHT 134 LBS **DIAMETER 11/4"**

FOR HEAVY 21/4", 6x7CM LIGHT 16MM, VIDEO

534 SIDE ARM STUDEX

LENGTH WEIGHT 11/2 LBS 535 SAME, GEARED

LENGTH 18 WEIGHT 2 LBS **DIAMETER 1%"** FOR 4×5", 8×10" 16MM, VIDEO

536 SIDE ARM SUPER PRO TELE STUDEX

LENGTH WEIGHT 21/2 LBS 536P SAME W/360° PANNING 537 SAME, GEARED

LENGTH 41/2 LBS 537P SAME W/360° PANNING



540 ANGLE SUPPORT

For 536 and 537 WEIGHT 541 ANGLE SUPPORT

WITH 360° PANNING FOR 536 or 537 **INTERCHANGEABLE WITH 540**

WEIGHT 134 LBS



DOLLIES COLLAPSIBLE WITH CENTER SCREW FOR LOW CAMERA POSITIONS

WHEEL DIAMETER: 11/2 FOR 35MM, SUPER 8MM. 21/4", VIDEO

390 DOLLY WITH LEATHER SHOES 2 WHEELS, 1 FOOT WEIGHT 5 LBS



WHEEL DIAMETER: 3 FOR 214". 6x7CM, 4x5" LIGHT 16MM, VIDEO

WITH METAL' SHOES 8 LBS WEIGHT

491 DOLLY WITH METAL SHOES, **ADAPTER RINGS FOR** TRIPOD (SPECIFY) 10 LBS



392 DOLLY WITH METAL SHOES

WEIGHT 9 LBS 492 DOLLY WITH METAL SHOES, STIRRUPS

ADAPTER RINGS FOR TRIPOD (SPECIFY) WEIGHT 11 LBS



WHEEL DIAMETER: 5" FOR EXTRA HEAVY CAMERAS

593 P DOLLY WITH METAL SHOES. STIRRUPS ADAPTER RINGS FOR

> WEIGHT **19 LBS 594 SAME WITH** TRAVELLING FIXINGS

TRIPOD (SPECIFY)

590 SAME AS 593 NOT COLLAPSIBLE **17 LBS** WEIGHT

591 SAME WITH TRAVELLING FIXINGS (SEE ALSO PAGE 5)

595 DOLLY WITH 4 WHEELS FOR QUADRIPOD page 8 516 CRADLE FOR DOLLIES FOR VIDEO TAPE RECORDER. TV MONITOR, ETC.

WEIGHT 5 LBS.



PAN DOUBLE TILT HEADS

WITH 90° FRONT TILT, DRAG FRICTION, 90° SIDE TILT, 75° BACK TILT, 360° PANNING, PUSH BUTTON FOR CABLE RELEASE

LIGHT 35MM

LOISIR 0070 LOISIR PLATFORM 2¼" x 11/9" HEIGHT 21/4" WEIGHT 1/2 LB SUPPORT 5 LBS

35MM TOTAL/SPORT/

CREMAILLERE 1 170 RATIONAL 1 PLATFORM 3" x 21/2" HEIGHT WEIGHT 11/2 LBS SUPPORT 10 LBS

HEAVY 35MM, 214

CREMAILLERE 2 RATIONAL 2 PLATFORM 51/2" x 31/4" HEIGHT 51/2" WEIGHT 21/2 LBS SUPPORT 15 LBS

HEAVY 214", 6 x 7CM LIGHT 4 x 5" STUDEY CREMAILLERE 3

RATIONAL 3 PLATFORM 5% "x 3% 61/2" HEIGHT WEIGHT 3 LBS SUPPORT 20 LBS

HEAVY 4 x 5', "10"

SUPER/PRO, LE/ STUDEY 470 PATIONAL A PLATFORM 7" × 3% HEIGHT 714" WEIGHT AVA I RS SUPPORT 30 LBS HEAVY 4 x 5", 8 x 10"

SUPER/PRO/ TELE STUDEX 570 RATIONAL 5

PLATFORM 634" x 4" HEIGHT 31/2" WEIGHT 31/2 LBS SUPPORT **35 LBS**



570L RATIONAL SL WITH LONG 15" HANDLE



CREMAILLERE 0 070 RATIONAL 0 PLATFORM 23/4" x 23/4" HEIGHT 11/4 LBS

202

5" x 11/2"

14 LBS

7 LBS

43/4"



172 TOTAL PLATFORM 36" 72 HEIGHT 31/5" WEIGHT 11R SUPPORT **12 LBS**

272 RATIONAL 2B PI ATFORM 31/8" x 21/6" HEIGHT

WEIGHT

SUPPORT

51/2"

21 BS

15 L RS

372 RATIONAL 3B **PLATFORM** 31/8" x 21/6" HEIGHT WEIGHT 21/2 LBS SUPPORT 20 LBS

472 **RATIONAL 4B** PLATFORM 3%"x 3" HEIGHT 3% LBS SULTPOF 30 LBS

470L RATIONAL 4L

WITH LONG 15" HANDLE

5-20



472L RATIONAL 4BL WITH LONG 15" HANDLE













072

PLATFORM

HEIGHT

WEIGHT

SUPPORT

BALL HEADS

OFF CENTER DESIGN FOR MORE THAN 90° TILTS IN ANY DIRECTION. 360° PANNING

VERY LIGHT 35MM

0075 BALL 00 **PLATFORM** HEIGHT 2" WEIGHT 307 SUPPORT 5 LBS

LIGHT 35MM WEEKEND/ CREMAILLERE 0

PLATFORM 11/2" HEIGHT WEIGHT 7 LBS

TOTAL/SPORT/ CREMAILLERE 1 175 BALL 1

PLATFORM HEIGHT 23/4" 7 oz WEIGHT SUPPORT 10 LBS

HEAVY 35MM, 214 REPORTER/ **CREMAILLERE 2**

275 BALL 2 **PLATFORM** 3" x 2% HEIGHT 334 WEIGHT 1LB SUPPORT 15 LBS

214", 6x7CM 4x5" STUDEX/ **CREMAILLERE 3**

375 BALL 3 PLATFORM 3" x 2%" HEIGHT 41/5" 11/4 LBS WEIGHT SUPPORT 25 LBS

376 PRO BALL 3M w/TURN SOCKET

4x5", 6x7CM, 8x10" SUPER/PRO/

475 BALL 4 PLATFORM 4"x 3" HEIGHT 8" 2 LBS WEIGHT SUPPORT 40 LBS

















0060 FRICTION BALL WITHOUT LOCK, PANNING

SUPPORT 5 LBS

BALLS 2, 3, 4 have open end slit for rapid removal of camera with screw

ACCESSORIES

FOR 35MM, 21/4", 6 x 7CM, 4 x 5", 8 x 10"

TWIN HEADS

FOR 35MM, 24", 6 x 7CM FOR 4 x 5", 8 x 10"

FOR 2 CAMERAS UP TO 5 LBS EACH 21/4" DIAM **PLATFORM** HEADS HEIGHT WEIGHT SUPPORT 5 LBS

TWIN **BRACKET FOR 2 HEAVY CAMERAS** DIMENSIONS 17" x 31/4" DISTANCE BETWEEN SCREWS 131/2" HEIGHT WEIGHT 11/2 LBS SUPPORT **20 LBS**

OFFSET BRACKET FOR CAMERAS WITH GRIP, LARGE LENSES PLATFORM 214" x 1/2" HEIGHT 11/2" 14 LB WEIGHT SUPPORT 5 LBS

INTERMEDIATE **PLATE FOR CAMERAS WITH** LARGE LENSES, ETC. **PLATFORM** 3"x 2" HEIGHT 14 LB

20 LBS

SUPPORT

PL22 PLATFORM WITH LEVEL FITS **BETWEEN TRIPOD** AND HEAD **PLATFORM** HEIGHT 1/8" 14 LB WEIGHT **20 LBS** 605/6 QUICK ATTACHMENT FOR 5T, 6T, 8T HEADS DIMENSIONS 12"x 6" HEIGHT 4 LBS WEIGHT SUPPORT 250 LBS











ATTACHMENTS

CAMBRAC FOR CARS, DOORS, TABLES, CHAIRS, FENCES, ETC.



WALL SUPPORTS **520 STANDARD** LENGTH 15" WEIGHT 2 LBS. 521 EXTENSIBLE **LENGTH 24-40"** WEIGHT 31/2 LBS.

522 STRONGER 13" 3¾ LBS **522B ADJUSTABLE** 23/4 LBS.

SIMPLE TILT HEADS 523 PM 2 SMALL PLATFORMS 11 OZ. 1 SMALL

1 LARGE PLATFORM 13 OZ. 523GM 2 LARGE **PLATFORMS 18 OZ**

LADDER ATTACHMENT **GITFIX RAPID** 599R WEIGHT 31/4 LBS

GIFFIX CREMAILLERE

WEIGHT 41/2 LBS.



F88 ACCESSORY

TRIANGLE

SIZE 15" x 15" x 15" 8 OZ.

FOR TRIPODS AND HEADS

CASES. LIGHTWEIGHT SHOULDER STRAP, BLACK TO STUDEX LOISIR

HARD FIBER CASES. **BLUE, W/FLAT BOTTOM** ADJUSTABLE HANDGRIP FOR STUDEX TO TELE STUDEX GIANT, DOLLIES



FOR LARGE FORMAT CAMERAS, WITH T, 1 OR 2 CABLE RELEASES 25 INSIDE DIAM. OUTSIDE DIAM.

5") WITH X. 1100 21/4" 6") 1/25th SEC 81/4" 1200 2% 1300 4 10" 1500 434"

DIAPHRAGMS LENS BOARD AND

1501 APERTURE OUTSIDE DIAM. 15-60mm 115mm

APERTURE 20-100mm OUTSIDE DIAM. 164mm

IRIS DIAPHRAGMS FOR MOVIE AND PROJECTION LENSES (SPECIFY INSIDE AND **OUTSIDE DIAMETER)** DISSOLVE UNITS FOR 2 PROJECTORS

LIGHT STANDS

LEG DIAM 7/8 ANGLE 60° **COLUMN DIAM 1"** 105/4 LIGHT STAND

WITH 4 SECTION COLUMN **RANGE 21/2-9 ft.** WEIGHT 31/2 LBS SUPPORT 10 LBS



1180 STEREO VIEWER



BRACKETS

1181 STEREO BRACKET



OTHER BRACKETS, GRIPS

REMOTE RELEASES, SELFTIMER

95B PNEUMO-GITZO AIR REMOTE RELEASE 16 ft, BULB 95E 16 ft, EXTENSION




1160 SELFTIMER TO 30 SEC.

GM.



DIAMETER **CLOTH FROM 6"-40** METAL STRAIGHT. FROM 14"-76 METAL WITH ANGLE, FROM 14"-40"

RELEASE 20 FOR 2 CAMERAS TRIPLE RELEASE 20" FOR 3 CAMERAS



12 EXCLUSIVE REASONS WHY TO OWN A GITZO TRIPOD

1) TOP PRECISION

Hand assembled, literally custom built to your order, to the most demanding European precision standards, with stressproof, hardtempered lightmetals as used in airplanes.

2) OPTIMAL ROCK STABILITY Ingenious design with strong tubular legs firmly positioned against rigid center part, for optimal rock stability without any crutchlike braces or spiders.

3) EASY, FOOLPROOF HANDLING Deeply anodized (1/10mm), corrosion and rustproof leg extensions and center columns glide smoothly, lock tightly on water and temperature-proof sleeves (no metal on metal), with soft cushioned locking rings, for easy, rapid, foolproof handling, with no binding or slipping—ever.
4) MULTIPLE CHOICE

More than 100 tripods, short or long for portability or height, with Rapid reversible sliding column or Cremaillere gearlift column for fine adjustment, thin or fat legs for any lightweight, medium weight, heavy, or extra heavy video, cine or photo cameras, telescopes and other equipment.

5) PERFORMANCE TRIPODS The ultimate in tripod design with individual leg spreading, 2 section column or short 5" column, for extra high (120" +) low (0"), any special positions, including ultra close-ups.

6) INTERCHANGEABLE HEADS, LEVELLING BALLS More than 40 pan tilt, fluid and counterbalanced heads for video and photo, with up to 90° tilts, 360° panning, plus 12 levelling balls, with strong soft touch handles or grips, for tight locking, smooth moving in any position, without jerking.

7) COMPLETE SYSTEM More than 20 monopods, multipod, ladderpods, mono columns, microphone fishpoles/light booms, dollies, attachments, carrying cases, projection stands and platforms, lightstands, plus more than 200 other accessories. 8) PERSONAL SELECTION You will find exactly the right tripod, monopod, head and accessories, for any person, any camera, any position, any working conditions, literally custom modeled for you.

9) UNSOLICITED PUBLICITY

By professionals, magazines, schools, lecturers, amateurs, cameramakers, repairmen, dealers, competitors, 100,000's of happy GITZO users in more than 70 countries around the world ... PLUS 1 = YOU? TRY IT NOW!

10) ECONOMICAL ALL METAL CONSTRUCTION Uncompromisingly solid, virtually indestructible precision engineered design—the result of 65 years of expert development-withstands the most rugged use, for lifelong durability.

11) EASY, MINIMAL SERVICE Construction unit system of rolled threads, solid steel bolts, nuts and screws permits easy detaching, cleaning and replacing of any part by user, with no breakable cheap metals or plastic substitutes, no unrepairable pop-riveting, no collaps ing, no falling apart-ever. The service quota is incredibly low: less than 1% - with 24 hour, same day, or "while you wait" service.

12) SCRUPULOUS QUALITY CONTROLS, FULL LIFETIME WARRANTY Each tripod passes the most severe quality controls to meet the most rigid European precision standards, with minimal maintenance, plus eternal serviceability, availability of parts AND YOU ARE COVERED BY THE FULL GITZO WARRANTY BUYER PROTECTION FOR LIFE—PLUS REINCARNATIONS.

> PLEASE WRITE OR CALL FOR MORE INFORMATION OR VIDEO FOLDER

MAIL: POB 427 SHIP: 34-11 62ND STREET **WOODSIDE, NY 11377** TEL: (718) 565-0004 • FAX: (718) 565-2582

karl heitz

40 EARS